
## MAIORA 36 Exuma













































## 36 Exuma


CONSTRUCTION	
Hull	COMPOSITE
Superstructure	COMPOSITE
DIMENSIONS	
Length Overall	36,90 m / 121'
Max Beam	7,90 m / 26'
Draught	1,45 m / 4' 9"
Gross Tonnage	295 gt
TANK CAPACITY	
Fuel Capacity	21.500 l / 5.679 US gal
Water Capacity	3.000 I / 792 US gal
PROPULSION	
Main engine power	[3] MAN V12-2000 OF 2000 HP EACH
Transmission	[2] MJP WATERJETS + [1] MJP CENTRAL BOOSTER
Stabilizers	[2] SEAKEEPER mod. 35 GYRO STABILIZERS
PERFORMANCE	
Max speed	Up to 33 knots
Cruising Speed	20 knots
Range at cruising speed	650 NM @20 knots / 1.150 NM @10 knots
ACCOMMODATION	
Guests	Up to 10 in 5 cabins
Crew	5 in 3 cabins
DESIGNERS	
Exterior Designer	Quartostile
Interior Décor Designer	Acube Design
CLASSIFICATION	
DINA CTUILL & MACHY Unrectwisted Nevirotion	


RINA - C # HULL • MACH Y - Unrestricted Navigation



## **PROFILE**









This brochure does not, under any circumstances, constitute an offer by the shipyard to any person, nor does it form part of any contract. All information contained herein, including but not limited to technical data, performance details, illustrations, and drawings, is provided as a general guide only. It is not contractual and refers to standard models of motor yachts built by the shipyard, based on updates available at the time of publication. Images, diagrams, designs, and examples included are intended solely to illustrate the provided information. The only binding information for the seller is exclusively contained in the sale agreement and the relevant specific manual. The information in this brochure may not reflect all details, technical or commercial changes made after publication, or anticipate every possible scenario. Given the unique characteristics of each yacht, the shipyard disclaims any liability for reliance on the information contained in this brochure.